

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-357940

(43)Date of publication of application : 26.12.2001

(51)Int.Cl.

H01R 13/641

G02B 6/36

H01R 24/02

(21)Application number : 2001-131013

(71)Applicant : SHARP CORP

(22)Date of filing : 10.06.1993

(72)Inventor : NAGURA KAZUTO
MIZOGUCHI TAKATOSHI
OTAWA KO
TAKAOKA TAKASHI
KUWAMURA KOICHI

(30)Priority

Priority number : 04240654

Priority date : 09.09.1992


Priority country : JP

(54) TRANSMISSION EQUIPMENT, ELECTRICAL PLUG, OPTICAL FIBER PLUG AND APPARATUS

(57)Abstract:

PROBLEM TO BE SOLVED: To enable to discriminate plugs, such as a 1st electrical plug and a 2nd electrical plug or the like.

SOLUTION: As for the transmission equipment in which the 1st electrical plug or the 2nd electrical plug can be inserted selectively, it consists of a discriminating terminal 47 or the like in addition to electric connection terminals 24b, 24c, and 24d, and it has a composition in which a discriminating means 41 is prepared for discriminating the 1st electrical plug and the 2nd electrical plug from the inserted plugs.



LEGAL STATUS

[Date of request for examination]

28.05.2001

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

3405976

[Date of registration]

07.03.2003


[Number of appeal against examiner's decision
of rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

CITED DOCUMENT 2(JP,2001-357940,A)

(A)



(B)





FIG. 7

CITED DOCUMENT 2(JP,2001-357940,A)



CITED DOCUMENT 2(JP,2001-357940.A)




FIG. 11




FIG. 13




FIG. 15

CITED DOCUMENT 2(JP,2001-357940,A)




FIG. 12




FIG. 14

CITED DOCUMENT 2(JP,2001-357940,A)

FORMULA IDENTIFICATION DEVICE




FIG. 16